FACILITY NAME AND PERMIT NUMBER:

Bad River Utility WWTP WI-0036587-3

Form Approved 1/14/99 OMB Number 2040-0086

**FORM** 

2A NPDES

# NPDES FORM 2A APPLICATION OVERVIEW

## **APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### **BASIC APPLICATION INFORMATION:**

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

# **ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)**

# Bad River WWTP WI-0036587-3

# BASIC APPLICATION INFORMATION

		-					
200	RT A. BASIC APPI						
100000000000000000000000000000000000000			stions A.1 through A	8 of this Basic Appl	cation information p	acket, a see a see a see a see	
A.1.	Facility Information		· ———		, ,	1	
	Facility name		werltility		danah U	astewater	· ·
	Mailing Address	54173	Birch St.	Odanah,	W1 5486	1 Treatm	ent
							rnt
	Contact person	_tatri	ex Hunt				
	Title		Nanager			<b>)</b>	
	Telephone number	715.	685-787	8	4		
	Facility Address	5417	3 Birch	st. Odano	24,W154	86 1	
	(not P.O. Box)				<u> </u>		<del></del>
A.2.	Applicant Informati	on. If the applic	ant is different from th	e above, provide the f	ollowing:		
	Applicant name						
	Mailing Address	·					
	Contact person		·				
	Title						
	Telephone number	<del> </del>					
	Is the applicant the	owner or opera	tor (or both) of the tr	eatment works?			
•	owner		operator			,	
	Indicate whether corre	espondence rega	arding this permit shou	uld be directed to the f	acility or the applicant.		
	facility		applicant		,		
A.3.	Existing Environme works (include state-i	n <b>tal Permits.</b> Pr ssued permits).	rovide the permit num	ber of any existing env	rironmental permits that	at have been issued to the tro	eatment
	NPDES WI-	00365	87-3	P\$	SD		
	RCRA				<b>.</b>		
	Collection System Ir each entity and, if kno etc.).	ı <b>formation.</b> Pro ıwn, provide infol	vide information on mi rmation on the type of	unicipalities and areas collection system (cor	served by the facility. mbined vs. separate) a	Provide the name and popul nd its ownership (municipal,	ilation of private,
	Name		Population Served	Type of Col	lection System	Ownership	
` ~	Bad Kiver	WWIP.	632	Gravi	ty / Lift.	s Bod River L	<u>etili</u> tie
	Total non		632				
	ι οιαι ρορι			<del>-</del>			

	Y NAME AND PERMIT NUMBER:		] .		omn Approved DMB Number 2	
Ĺ	Bad River WWTP	WI-003658	7-3		AVID INUITIDET 2	:040-0060
Inc	lian Country.		The second secon	· · · · · · · · · · · · · · · · · · ·	······································	
a.	Is the treatment works located in Indian C	ountry?	·			
	Yes No	- ay .				
b.		receiving water that is eit	ber in Indian Country or th	nat is unstream from	(and eventua	illy flows
٠.	through) Indian Country?		and in making or p	· ·	(Sina Cronicae	iny novio
	Yes No					
Elc	ow. Indicate the design flow rate of the trea	atment plant (i.e. the way	stewater flow rate that the	plant was huilt to ba	ndle) Aleon	rovide th
ave	erage daily flow rate and maximum daily flo	w rate for each of the las	it three years. Each year'	s data must be based		
pei	riod with the 12th month of "this year" occu	rring no more than three	months prior to this applic	cation submittal.		
a.	Design flow rateO.14 mgd					
		Two Years Ago	Last Year	This Year		
b.	Annual average daily flow rate	0.097	0.080	<u> 0.</u>	100	_ mgd
c.	Maximum daily flow rate	N/A	NIA	N/	4	mgd
	llection System. Indicate the type(s) of contribution (by miles) of each.	ollection system(s) used	by the treatment plant. Cl	neck all that apply. A	lso estimate	the perc
	Separate sanitary sewer				90	%
						-
	Combined storm and sanitary sewer	•				_ %
Dis	scharges and Other Disposal Methods.					
a.	Does the treatment works discharge efflu-	ent to waters of the U.S.3	<b>&gt;</b>	Yes		No
٠.	If yes, list how many of each of the following					_ '''
	Discharges of treated effluent	ng typee or describing po	into the treatment works t	.000.	j	
	ii. Discharges of untreated or partially tre	eated effluent			0	
	iii. Combined sewer overflow points	Jacob Gilloria		نت. ا	0	
	iv. Constructed emergency overflows (pr	ior to the headworks)			0	
	v. Other	ior to the headworker		_	0	
	v. Onlei					
b.	Does the treatment works discharge efflue				. 🖊	
	impoundments that do not have outlets fo	_	ne U.S.?	Yes		. No
	If yes, provide the following <u>for each surfa</u> Location:	ce impoundment:				· · · · · · · · · · · · · · · · · · ·
	Annual average daily volume discharged	o surface impoundment(	s)		mgd	
	Is discharge continuous or	intermitte	nt?			
				.,		
c.	Does the treatment works land-apply treat			Yes		- <sup>No</sup>
	If yes, provide the following for each land		•			
			· · · · · · · · · · · · · · · · · · ·			
	Annual average daily volume applied to si	te:	Mgd			
	Is land application continu	ous or inte	ermittent?			
	Does the treatment works discharge or tra	annet tracted or untract	ad wastowater to enather			1000
d.						area.

**FACILITY NAME AND PERMIT NUMBER:** Form Approved 1/14/99 OMB Number 2040-0086 RIVER-WWTP WI-0036589-3 If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe). If transport is by a party other than the applicant, provide: Transporter name: Mailing Address: Contact person: Title: Telephone number: For each treatment works that receives this discharge, provide the following: Name: Mailing Address: Contact person: Title: Telephone number: If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. mgd

Does the treatment works discharge or dispose of its wastewater in a manner not included in

continuous or

intermittent?

A.8.a through A.8.d above (e.g., underground percolation, well injection)?

Description of method (including location and size of site(s) if applicable):

If yes, provide the following for each disposal method:

Annual daily volume disposed of by this method:

Is disposal through this method

#### **FACILITY NAME AND PERMIT NUMBER:**

Bad River WWTP WI-0036587-3

Form Approved 1/14/99 OMB Number 2040-0086

#### **WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

APRIER			
A.9.	De	Description of Outfall.	•
	a.	a. Outfall number 002	
	b.		54861
		(City or town, if applicable).	(Zip Code)
		(County) (EYa of the SE Y4.	Sec. 30, T48N, RAW)
		(Latitude)	(Longitude)
	C.	c. Distance from shore (if applicable)	ft.
	d.	d. Depth below surface (if applicable)	ft.
	e.	e. Average daily flow rate	o mgd
	_	5 Dans His as (CH)	
	Ι.	f. Does this outfall have either an intermittent or a periodic discharge?	Yes All III and I
		If yes, provide the following information:	Yes No (go to A.9.g.)
		in you, provide the following information.	
		Number of times per year discharge occurs:	Property Company of the Company of t
		Average duration of each discharge:	
		Average flow per discharge:	mgd
		Months in which discharge occurs:	
	g.	g. Is outfall equipped with a diffuser?	Yes No
L10.	Des	Description of Receiving Waters.	**
		Nome of receiving under	
•	<b>1.</b>	a. Name of receiving water	
1	٥.	o. Name of watershed (if known)	4
		Inited States Seil Concentation Service 14 digital states and and all the	)
		United States Soil Conservation Service 14-digit watershed code (if kno	wn):
(	λ.	. Name of State Management/River Basin (if known):	NA
		United States Coolegies Suprey 9 digit hydrologic anti-latin with a de-	
		United States Geological Survey 8-digit hydrologic cataloging unit code	(if known):
C		Critical low flow of receiving stream (if applicable):	
		acute cfs chronic _	N/A cfs
€		. Total hardness of receiving stream at critical low flow (if applicable):	mg/l of CaCO <sub>3</sub>
		•	

ATT OF TANADA PARAME L TICINIS	FIGURE EX.		
Bad River 1	NWTP	WI-003	6587-3
The second secon	ACCURATION CONTRACTOR OF THE PARTY OF THE PA		

des des la	كے	Sad Kiver WWTP W1-0036587-3
ВД	<u>(S</u>	IC APPLICATION INFORMATION
PAR		EQUAL TO 0.1 MGD (100,000 gallons per day).
Alla	ippli	icants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.5. All others go to Part C (Certification),
B.1.	_	nflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.  7, 500 gpd  riefly explain any steps underway or planned to minimize inflow and infiltration.
	_	Repair broken pipe and monitor life Station run times
B.2.	LFI	opographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries, his map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show e entire area.)
	a.	and the state of t
		The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	C.	and the desired in the desired in the state of the state
		Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
		Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
! !	f.	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
1	chio	ocess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all skup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, portionation and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily a rates between treatment units. Include a brief narrative description of the diagram.
B.4. (	Opr	eration/Maintenance Performed by Contractor(s).
,	Are	any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of ontractor?YesNo
t I	lf ye pag	es, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional es if necessary).
ľ	Nam	ne:
P	Mail	ling Address:
Т	Tel€	phone Number:
F	Res	ponsibilities of Contractor:
th	unco the ti ques	eduled improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or completed plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If treatment works has several different implementation schedules or is planning several improvements, submit separate responses to stion B.5 for each. (If none, go to question B.6.)
а	à.	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
		002 NA Will be targeting EQ-basis repair
b	o.	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. YesNo

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

OTHER

FACILITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99
Bud From WWTP WI-	-036587-3	OMB Number 2040-0086
BASIC APPLICATION INFORMAT		
PART C. CERTIFICATION		
All applicants must complete the Certification Section		mine who is an officer for the purposes of this certification. All
	certification statement, applica	oplication Overview. Indicate below which parts of Form 2A you into confirm that they have reviewed Form 2A and have completed
Indicate which parts of Form 2A you have co		
Basic Application Information packet	Supplemental Application I	nformation packet:
•	Part D (Expanded	Effluent Testing Data)
	Part E (Toxicity Te	sting: Biomonitoring Data)
	Part F (Industrial L	Jser Discharges and RCRA/CERCLA Wastes)
	Part G (Combined	Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLO	WING CERTIFICATION.	
designed to assure that qualified personnel properly who manage the system or those persons directly re-	gather and evaluate the inform sponsible for gathering the info	under my direction or supervision in accordance with a system ation submitted. Based on my inquiry of the person or persons ormation, the information is, to the best of my knowledge and for submitting false information, including the possibility of fine
Name and official title	Hunt /	Manager
Signature	the funt	
	15-685-78	78
Date signed	2-23-11	
Upon request of the permitting authority, you must su treatment works or identify appropriate permitting req		cessary to assess wastewater treatment practices at the

SEND COMPLETED FORMS TO:

## SUPPLEMENTAL APPLICATION INFORMATION

#### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number:	(Cc	mplete	once for	each ou	etfall discharging effluent to waters of the United States.)							
POLLUTANT		MAXIMI DISC	JM DAIL HARGE	<b>Y</b> ebi heliji Hilologist	A	VERAG	E DAILY	/ DISCI				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL	
METALS (TOTAL RECOVERABLE),	CYANIDE	, PHENO	LS, AND	HARDNE	SS.	in a self of the self of the self			- COLLINGO			
ANTIMONY												
ARSENIC			İ									
BERYLLIUM												
CADMIUM		:						<u> </u>				
CHROMIUM .												
COPPER												
LEAD												
MERCURY							:					
NICKEL						:						
SELENIUM												
SILVER		1										
THALLIUM		<u>.</u>										
ZINC					·							
CYANIDE												
TOTAL PHENOLIC COMPOUNDS			·									
HARDNESS (AS CaCO <sub>3</sub> )												
Use this space (or a separate sheet) to	provide inf	ormation	on other r	netals req	uested by	the pem	nit writer.					
							Ţ					
			1							,, ,		

Outfall number:		(Complete once for each outfall discharging eff								States.)		
POLLUTANT	MAXIMUM DAILY DISCHARGE					E DAILY						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	of	ANALYTICAL METHOD	ML/ MDL	
VOLATILE ORGANIC COMPOUNDS.									Samples			
ACROLEIN												
ACRYLONITRILE								•			UNION STATE OF THE	
BENZENE												
BROMOFORM												
CARBON TETRACHLORIDE												
CLOROBENZENE												
CHLORODIBROMO-METHANE									· · · · · · · · · · · · · · · · · · ·			
CHLOROETHANE					<u> </u>							
2-CHLORO-ETHYLVINYL ETHER					·							
CHLOROFORM												
DICHLOROBROMO-METHANE									·			
1,1-DICHLOROETHANE												
1,2-DICHLOROETHANE												
TRANS-1,2-DICHLORO-ETHYLENE												
1,1-DICHLOROETHYLENE												
1,2-DICHLOROPROPANE							·					
1,3-DICHLORO-PROPYLENE											, , , , , , , , , , , , , , , , , , , ,	
ETHYLBENZENE												
METHYL BROMIDE			·									
METHYL CHLORIDE												
METHYLENE CHLORIDE												
,1,2,2-TETRACHLORO-ETHANE												
ETRACHLORO-ETHYLENE												
OLUENE		1										

Outfall number:	(Com					116 / 1			of the United	l States.)	
POLLUTANT			UM DAII HARGE		A	VERAG	E DAILY	DISCH			
	Conc	Units			Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE -											
VINYŁ CHLORIDE											
Use this space (or a separate sheet) to	o provide ii	nformatio	on other	volatile o	rganic con	npounds	requested	by the p	ermit writer.		-
ACID-EXTRACTABLE COMPOUNDS	3	<u> </u>									
P-CHLORO-M-CRESOL		1									
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL			   				,				
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL										<u> </u>	
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide in	formation	on other	acid-extra	ctable com	pounds	requested	by the p	ermit writer.		
BASE-NEUTRAL COMPOUNDS.											
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE .											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:									of the United	l States.)	
POLLUTANT		DISC	JM DAIL JARGE				E DAILY		ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER								-			
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE						···· ·-					
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DIBENZO(A,H) ANTHRACENE											-
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE		-									
1,4-DICHLOROBENZENE										1122	
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

FACILITY NAME AND PERMIT NUMBER:								Form Approved 1/14/99 OMB Number 2040-0086					
Outfall number:	(Com	olete on	ce for ea	ch outfal	l dischar	ging effl	fluent to waters of the United States.)						
POLLUTANT			JM DAIL HARGE		AVERAGE DAILY DISCHARGE								
	Conc.		Mass		Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ME/ MOL		
FLUORANTHENE											And the second s		
FLUORENE										·			
HEXACHLOROBENZENE													
HEXACHLOROBUTADIENE													
HEXACHLOROCYCLO- PENTADIENE													
HEXACHLOROETHANE													
INDENO(1,2,3-CD)PYRENE													
ISOPHORONE													
NAPHTHALENE									:				
NITROBENZENE													
N-NITROSODI-N-PROPYLAMINE													
N-NITROSODI- METHYLAMINE													
N-NITROSODI-PHENYLAMINE													
PHENANTHRENE													
PYRENE													
1,2,4-TRICHLOROBENZENE			:		-			ı					
Use this space (or a separate sheet) to	provide info	mation	on other b	ase-neutr	al compoi	ınds requ	ested by t	he perm	it writer.				
In this case (a				=11. de =4.				. 4%-	-14				
Jse this space (or a separate sheet) to	provide into	mation	on other p	oliutants (	e.g., pesti	cides) red	questea b	y the pen	mit writer.				
		elsanstler		A-10 524			The property of the				unika karasa karasa s		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMB	"ACIL!	ILITY NAME	AND	PERMIT	NUMBER:
-------------------------------	--------	------------	-----	--------	---------

Form Approved 1/14/99 OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION

## PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E, no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to omplete.

complete.	or complete Fait E. Relento ti	e Application Overview for direct	ions on which other sections of the form to
E.1. Required Tests.			
Indicate the number of whole e	effluent toxicity tests conducted	in the past four and one-half yea	rs.
chronicacute		·	
E.2. Individual Test Data. Complete the one column per test (where each sp	e following chart for each whole	effluent toxicity test conducted i	n the last four and one-half years. Allow
one column per lest (where each sp	Test number:		s are being reported.  Test number:
a. Test information.		Tose Hambon	restriction
Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			
b. Give toxicity test methods followed.			
Manual title			
Edition number and year of publication			
Page number(s)			
c. Give the sample collection meth	od(s) used. For multiple grab s	amples, indicate the number of g	rab samples used.
24-Hour composite			
Grab			
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)			
Before disinfection			
After disinfection			
After dechlorination			

FACILITY NAME AND PERMIT NUMBER:			Form Approved 1/14/99 OMB Number 2040-0086
	Test number:	Test number:	Test number:
e. Describe the point in the treatn	nent process at which the sample wa	as collected.	
Sample was collected:			
f. For each test, include whether t	the test was intended to assess chro	nic toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test perform	ned.		
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labo	pratory water, specify type; if receiving	g water, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt wa	ter, specify "natural" or type of artific	ial sea salts or brine used.	
Fresh water	,		
Salt water			
j. Give the percentage effluent use	ed for all concentrations in the test se	eries.	
k. Parameters measured during the	e test. (State whether parameter me	ets test method specifications)	
рН		·	
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%		% %
LC <sub>50</sub>			
95% C.I.	%		% %
Control percent survival	%		% %
Other (describe)	·		

FACILITY NAME AND PERMIT NUMBER	R:		Form Approved 1/14/99 OMB Number 2040-0086	
Chronic:				
NOEC	%	%	%	
IC <sub>25</sub>	%	%	%	
Control percent survival	%	%	%	
Other (describe)				
m. Quality Control/Quality Assuran	ce.			
Is reference toxicant data available?				
Was reference toxicant test within acceptable bounds?				
What date was reference toxicant test run (MM/DD/YYYY)?				
Other (describe)				
E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo				
END OF PART E.  REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM.				

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

# SUPPLEMENTAL APPLICATION INFORMATION PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? Yes No F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. b. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. F.3. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name: Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. F.5. Principal Product(s) and Raw Material(s): Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. Principal product(s): Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. \_continuous or \_\_\_\_intermittent) \_ gpd b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (\_\_\_\_ continuous or intermittent) F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits Yes \_\_\_No b. Categorical pretreatment standards If subject to categorical pretreatment standards, which category and subcategory?

FAC	ILITY NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086
F.8.	Problems at the Treatment Works Attributed to Waste upsets, interference) at the treatment works in the past the	Discharged by the SIU. Has the SIU caused or continee years?	tributed to any problems (e.g.,
	YesNo If yes, describe each episode	le.	
	· · ·		
RCR	RA HAZARDOUS WASTE RECEIVED BY TRUCK, F	RAIL, OR DEDICATED PIPELINE:	
F.9.	RCRA Waste. Does the treatment works receive or has it pipe?YesNo (go to F.12.)	in the past three years received RCRA hazardous wa	ste by truck, rail, or dedicated
F.10.	. Waste Transport. Method by which RCRA waste is recei	eived (check all that apply):	
	TruckRailDedic	cated Pipe	
		•	
F.11.	Waste Description. Give EPA hazardous waste number	and amount (volume or mass, specify units).	1
	EPA Hazardous Waste Number Am	nount <u>Units</u>	
CER ACT	CLA (SUPERFUND) WASTEWATER, RCRA REME ION WASTEWATER, AND OTHER REMEDIAL ACT	DIATION/CORRECTIVE	
	Remediation Waste. Does the treatment works currently	The state of the s	remedial activition?
	Yes (complete F.13 through F.15.)	No	remedial activities:
	Provide a list of sites and the requested information (F.13		
F.13.	Waste Origin. Describe the site and type of facility at whi originate in the next five years).	ich the CERCLA/RCRA/or other remedial waste origina	ates (or is expected to
F.14.	Pollutants. List the hazardous constituents that are received known. (Attach additional sheets if necessary).	ved (or are expected to be received). Include data on	volume and concentration, if
			<u> </u>
F.15,	Waste Treatment.		
i	<ul> <li>a. Is this waste treated (or will it be treated) prior to entering</li> <li>YesNo</li> </ul>	ng the treatment works?	
	If yes, describe the treatment (provide information about	ut the removal efficiency):	
,			
I	b. Is the discharge (or will the discharge be) continuous or	•	
	ContinuousIntermittent	If intermittent, describe discharge schedule.	·
Partition (1. Table	EN	DOF PART E	
REF	ER TO THE APPLICATION OVERVIES		PARTS OF FORM
		MUST COMPLETE	

## SUPPLEMENTAL APPLICATION INFORMATION

#### PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
  - a. All CSO discharge points.
  - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
  - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2. System Diagram.** Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
  - a. Locations of major sewer trunk lines, both combined and separate sanitary.
  - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
  - c. Locations of in-line and off-line storage structures.
  - d. Locations of flow-regulating devices.
  - e. Locations of pump stations.

CSO OUTFALLS:	

	scription of Outfall.	ing of the least o		
а.	Outfall number			
b.	Location	(City or town, if applicable)	(Zip Code)	
		(County)	(State)	
		(Latitude)	(Longitude)	
C.	Distance from shore (if a	opplicable)	ft.	
d.	Depth below surface (if a	applicable)	ft.	
e.	e. Which of the following were monitored during the last year for this CSO?			
	Rainfall	CSO pollutant concentrations	CSO frequency	
	CSO flow volume	Receiving water quality		
f.	How many storm events	were monitored during the last year?		
G.4. CSO Events.				
a.	Give the number of CSO	events in the last year.		
	events (	actual or approx.)		
b.	Give the average duration	per CSO event.		
	hours (	actual or approx.)	•	,

FACILIT	Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086	
c.	Give the average volume per CSO event.		
	million gallons ( actual or approx.)		
d.	Give the minimum rainfall that caused a CSO event in the last year.		
	inches of rainfall		
G.5. Des	cription of Receiving Waters.		
a.	Name of receiving water:		
b.	Alama after the latter to		
	United States Soil Conservation Service 14-digit watershed code (if know	vn):	
C.	Name of State Management/River Basin:		
	United States Geological Survey 8-digit hydrologic cataloging unit code (	if known):	
G.6. CS(	Operations.		
per	scribe any known water quality impacts on the receiving water caused by manent or intermittent shell fish bed closings, fish kills, fish advisories, ot lity standard).	ner recreational loss, or violation of any applicable State water	
END OF PART G.  REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM			

2A YOU MUST COMPLETE.

